

Central frequency - 189.4 MHz

## Passband - 9.5 MHz

Mass production: Ltd. AEC

Complies with Directive 2002/95/EC (RoHS)








Looking for information on other SAW devices at: http://aec-pro.com/filters.php

Designed by: Ltd. AEC Design

### TYPICAL PERFORMANCE




### **SPECIFICATIONS**

S. 25.11.15.11.15					
Parameter	Unit	Low frequency	Typical	Upper frequency	
Central frequency	MHz	-	189.4	-	
Insertion loss	dB	-	Not more 22	-	
Bandwidth edge -1.2dB level	MHz	Not more 185.1	-	Not less 193.7	
Bandwidth edge -35dB level	MHz	Not less 182.4	-	Not more 196.4	
Amplitude ripple	dB	-	Not more 1.2	-	
Group Delay Ripple	ns	-	Not more 12	-	
Ultimate rejection	dB	-	35	-	
Operating temperature	°C	-55	22	+85	
Substrate	_	-	Lithium tantalate 112	-	

#### Notes:


- 1. For information. Order a  $\mbox{Ц}\Pi\mbox{AP.433561.136}$  ТУ for a complete and updated data.
- 2. Specification valid for measurements in AEC test fixture.

# CASE QCC 12B MATCHING





DIMENSIONS (mm)				
Α	7			
В	5			
С	1.6			
D	2.54			
E	0.6			
F	2.54			
G	1			



Input 50 Ом		Output 50 Ом		
L1, nH		L2, nH	100	
C1, pF	-	C2, pF		

Signal input: 10 Signal output: 5 Ground: other pin

\*Matching condition depends on PCB layout.

## Recommendations:

- 1. See the relevant ЦПАР for maximum permissable input signal power in the bandwidth.
- 2. Input signal amplitude in the stop band is limited to 5 V.
- 3. DC voltage at the input (output) of the filter should not exceed 10 V.
- It is recommended to include the coupling capacitor between the device and the generator (load).
- SAW filters are sensitive to static electricity, therefore corresponding precautions should be taken while working with them.
- 6. Do not expose the device to frequency vibrations more than 5 kHz. Do not use ultrasonic cleaners.

# Design and production SAW filters, resonators, delay lines, sensors.



**Ltd. AEC** Mass production. Acceptance - QCID. aec@aec-pro.com | tel./fax (812)252-93-70



**Ltd. AEC Design** Design and production. Military acceptance. admin@aec-design.com | tel.(812)377-04-26 | fax.(812)364-60-69

198099, Promishlennaya st., 19, St. Petersburg, Russia

http://aec-design.com

Product catalog. © 2003-2023